

CIN-L27109PB1985PLC006476

## **ATAM VALVES LIMITED**

(FORMERLY ATAMVALVES PVT. LTD.)

1051, OUTSIDE INDUSTRIAL AREA, JALANDHAR CITY-144004, PUNJAB, INDIA.

T:91-181-5001111, 5019616/617

F:91-181-2290611

E-mail : sales@atamfebi.com E-mail : marketing@atamfebi.com

Website: www.atamvalves.in

Dated: - 07<sup>TH</sup> August, 2023 ATAM/SE/2023-24/29

To,

National Stock Exchange of India Ltd., Exchange Plaza, C-1, Block G, BandraKurla Complex, Bandra (E) Mumbai – 400 051

To,

Bombay Stock Exchange Limited, The Department of Corporate Services P.J. Towers, Dalal Street, Mumbai – 400 001

<u>Sub: - Notice of Board Meeting to consider and approve Un-Audited Financial Results for the Quarter ended June 30, 2023 along with Limited Review Report of Statutory auditors</u>

Ref: - ISIN: - INE09KD01013

Scrip Code: - 543236 Symbol: - ATAM

Respected Sir/ Madam,

This is to inform you that pursuant to the Regulation 29 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 a meeting of the Board of Directors of the Company is scheduled to be held on **Monday**, **14**<sup>th</sup>**August**, **2023** at **02:00 P.M**. at Registered office of the company situated at 1051, Industrial Area, Jalandhar, Punjab-144004, inter-alia to consider, approve and take on records the Un-Audited Financial Results and Limited Review Report of the Statutory Auditors of the Company for the Quarter ended on 30<sup>th</sup> June, 2023.

Further, as intimated earlier vide letter dated 30<sup>th</sup> June 2023, this is to inform you that pursuant to the Company's code of conduct framed in accordance with SEBI (Prohibition of Insider Trading) Regulations, 2015, the trading Window for dealing in shares of the Company for persons specified under the Code, shall remain closed from Saturday, 01<sup>st</sup> July, 2023 to Wednesday, 16<sup>th</sup> August, 2023 (Both days inclusive).

You are requested to kindly take the same on record.

Thanking You, Yours Sincerely, For **Atam Valves Limited** 

Amit Jain (Managing Director)